

Safety Data Sheet

in accordance with HSNO

Printing date 15.10.2019

Version number 2.2

Revision: 15.10.2019

SECTION 1: Identification of the substance or mixture and of the supplier

1.1 Product identifier

Trade name:

UV-Protection-Oil Tints

Article number:

424 Spruce, 425 Oak, 426 Larch, 427 Douglas, 428 Cedar, 429 Natural

**1.2 Relevant identified uses
of the substance or mixture
and uses advised against**

No further relevant information available.

**Application of the substance
/ the mixture**

Paint

Coating compound/ Surface coating/ paint

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Osmo Holz und Color GmbH & Co. KG
Affhüppen Esch 12
D-48231 Warendorf

**Further information
obtainable from:**

Product safety department
Tel.: +49 (0) 251 / 692 - 188
Fax: +49 (0) 251 / 692 - 462
e-mail: helmut.starp@osmo.de

**1.4 Emergency telephone
number:**

National Poison Centre: 0800 764 766 (0800 POISON)
Chemcall 24/7 Emergency Response Service: 0800 243 622 (0800
CHEMCALL)
Emergency Services (Fire, Ambulance, Police): Dial 111

Importer

Osmo NZ Ltd.
218H Marua Road
Mt Wellington
AUCKLAND 1051
Phone: +64 (0) 9 951 6010
Email: info@osmo.co.nz

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 4 H227 Combustible liquid.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Additional information: HSNO Classes: 3.1D; 9.1C

2.2 Label elements

Hazard pictograms

Void

Signal word

Warning

Hazard statements

H227 Combustible liquid.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Safety Data Sheet

in accordance with HSNO

Printing date 15.10.2019

Version number 2.2

Revision: 15.10.2019

Trade name: UV-Protection-Oil Tints

(Contd. of page 1)

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from flames and hot surfaces. No smoking.
- P262 Do not get in eyes, on skin, or on clothing.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves.
- P370+P378 In case of fire: Use for extinction: CO₂, powder or water spray.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with national regulations.

2.3 Other hazards

Observe the general safety regulations when handling chemicals.

Always wear a dust mask when sanding.

Warning:

Wash out any used cloth impregnated with this product immediately after use or store in an airtight container (danger of self-ignition)

Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.

SECTION 3: Composition/Information on ingredients

3.2 Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 64742-48-9 EC number: 918-481-9	aliphatic hydrocarbons, C10-C13 ⚠ Asp. Tox. 1, H304; Flam. Liq. 4, H227	25–50%
CAS: 34590-94-8 EINECS: 252-104-2	Dipropylene glycol monomethyl ether Flam. Liq. 4, H227; Acute Tox. 5, H333	10–25%
CAS: 60207-90-1 EINECS: 262-104-4	propiconazole ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317; Acute Tox. 5, H313; Acute Tox. 5, H333	<0.3%
CAS: 127519-17-9 ELINCS: 407-000-3	A mixture of branched and linear C7-C9 alkyl 3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethyl-ethyl)-4-hydroxyphenyl]propionates	< 3%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.
Immediately remove any clothing soiled by the product.

After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

Safety Data Sheet

in accordance with HSNO

Printing date 15.10.2019

Version number 2.2

Revision: 15.10.2019

Trade name: UV-Protection-Oil Tints

(Contd. of page 2)

After skin contact: Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Headache
Dizziness

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Fire fighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents:

Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment:

No special measures required.

Additional information

Cool endangered receptacles with water spray.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation
Keep away from ignition sources.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Safety Data Sheet

in accordance with HSNO

Printing date 15.10.2019

Version number 2.2

Revision: 15.10.2019

Trade name: UV-Protection-Oil Tints

(Contd. of page 3)

6.3 Methods and material for**containment and cleaning up:**

Warm water and cleansing agent

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Use only in well ventilated areas.

Information about fire - and explosion protection:

No special measures required.

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

Store receptacle in a well ventilated area.

Storage class:

10

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about**design of technical facilities:** No further data; see item 7.**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****34590-94-8 Dipropylene glycol monomethyl ether**

WES	Short-term value: 909 mg/m ³ , 150 ppm
	Long-term value: 606 mg/m ³ , 100 ppm
	skin

Additional information:

The lists valid during the making were used as basis.

(Contd. on page 5)

Safety Data Sheet

in accordance with HSNO

Printing date 15.10.2019

Version number 2.2

Revision: 15.10.2019

Trade name: UV-Protection-Oil Tints

(Contd. of page 4)

8.2 Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

Do not eat, drink, smoke or sniff while working.
Do not carry product impregnated cleaning cloths in trouser pockets.
Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.
Not necessary if room is well-ventilated.
Short term filter device:

Filter A/P2

Half mask with round thread connection EN 148-1 (screw-on filter) and combination filter A1 - P2 according to German DIN EN 14387.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

For the mixture the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Eye protection:

Goggles recommended during refilling

Body protection:

Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information****Appearance:**

Form: Fluid

(Contd. on page 6)

Safety Data Sheet

in accordance with HSNO

Printing date 15.10.2019

Version number 2.2

Revision: 15.10.2019

Trade name: UV-Protection-Oil Tints

(Contd. of page 5)

Colour:	According to product specification
Odour:	Mild
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	> 180 °C
Flash point:	> 61 °C (DIN EN ISO 2719)
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Undetermined
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	0.7 Vol %
Upper:	14.0 Vol %
Vapour pressure at 20 °C:	0.4 hPa Not determined.
Density at 20 °C:	0.9-1.0 g/cm ³ (DIN 51757)
Relative density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C:	60–80 s (DIN EN ISO 2431/4 mm) >21 mm ² /s (40°C)
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

(Contd. on page 7)

Safety Data Sheet

in accordance with HSNO

Printing date 15.10.2019

Version number 2.2

Revision: 15.10.2019

Trade name: UV-Protection-Oil Tints

(Contd. of page 6)

10.2 Chemical stability**Thermal decomposition /**
conditions to be avoided: No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous**reactions**

Reacts with fabric soaked in the product (e.g. cleaning wool).

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous**decomposition products:**
 Carbon monoxide and carbon dioxide
 Nitrogen oxides (NO_x)

SECTION 11: Toxicological information

11.1 Information on toxicological effects**Acute toxicity**

Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:**64742-48-9 aliphatic hydrocarbons, C10-C13**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50 / 4h	>5 mg/l (rat)

34590-94-8 Dipropylene glycol monomethyl ether

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>19,020 mg/kg (rat) 13,000–14,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	1,667 mg/l (rat)
	LC50 / 72h	0.76 mg/l (selenastrum capricornutum)

60207-90-1 propiconazole

Oral	LD50	1,517 mg/kg (rat) (OECD- Prüfrichtlinie 401)
Dermal	LD50	>4,000 mg/kg (rat)
Inhalative	LC50 / 4h	5.8 mg/l (rat) (403 Acute Inhalation Toxicity)

Primary irritant effect:**Skin corrosion/irritation**

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

60207-90-1 propiconazole

Dermal	Hautreizung	
--------	-------------	--

Serious eye damage/irritation**60207-90-1 propiconazole**

Augenreizung	
--------------	--

(Contd. on page 8)

Safety Data Sheet

in accordance with HSNO

Printing date 15.10.2019

Version number 2.2

Revision: 15.10.2019

Trade name: UV-Protection-Oil Tints

(Contd. of page 7)

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation
60207-90-1 propiconazole

Dermal	Sensibilisierung	(guinea pigs)
--------	------------------	---------------

Based on available data, the classification criteria are not met.

Sensitisation Contains propiconazole. May produce an allergic reaction.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity:
64742-48-9 aliphatic hydrocarbons, C10-C13

EC50 / 48h	>1,000 mg/l (daphnia)
------------	-----------------------

IC50 / 72h	>1,000 mg/l (algae)
------------	---------------------

LC50 / 96h	>1,000 mg/l (fish)
------------	--------------------

34590-94-8 Dipropylene glycol monomethyl ether

EC50 / 48h (Static)	1,919 mg/l (daphnia)
---------------------	----------------------

LC50 / 96h	5.3 mg/l (Oncorhynchus mykiss (Regenbogenforelle))
------------	--

LC50 / 48h	10.2 mg/l (Oncorhynchus mykiss (Regenbogenforelle))
------------	---

127519-17-9 A mixture of branched and linear C7-C9 alkyl 3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]propionates

EC50 / 48h	3.2 mg/l (daphnia) (OECD-Richtlinie 202, Teil 1)
------------	--

Biokonz.-Faktor	<3 (OECD-Richtlinie 305 C)
-----------------	----------------------------

60207-90-1 propiconazole

EC50 / 48h	10.2 mg/l (daphnia) (Daphnia sp. Acute Immobilisation Test)
------------	---

EC50/ 72h	0.76 mg/l (algae) (Freshwater Alga Growth Inhibition Test)
-----------	--

LC50 / 96h	4.3 mg/l (fish) (Fish Acute Toxicity Test)
------------	--

LC50 / 48h	10.2 mg/l (fish)
------------	------------------

12.2 Persistence and degradability

No further relevant information available.

(Contd. on page 9)

Safety Data Sheet

in accordance with HSNO

Printing date 15.10.2019

Version number 2.2

Revision: 15.10.2019

Trade name: UV-Protection-Oil Tints

(Contd. of page 8)

12.3 Bioaccumulative potential**60207-90-1 propiconazole**

log POW | 3.72 (Potential niedrig bis medium)

12.4 Mobility in soil

No further relevant information available.

Ecotoxicological effects:**Remark:** Harmful to fish**Additional ecological information:****General notes:**

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods**Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:**Recommendation:**

Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number**ADR, ADN, IMDG, IATA**

Not applicable

14.2 UN proper shipping name**ADR, ADN, IMDG, IATA**

Not applicable

14.3 Transport hazard class(es)**ADR, ADN, IMDG, IATA****Class**

Not applicable

14.4 Packing group**ADR, IMDG, IATA**

Not applicable

14.5 Environmental hazards:**Marine pollutant:**

No

(Contd. on page 10)

Safety Data Sheet

in accordance with HSNO

Printing date 15.10.2019

Version number 2.2

Revision: 15.10.2019

Trade name: UV-Protection-Oil Tints

(Contd. of page 9)

14.6 Special precautions for user Not applicable.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

UN "Model Regulation": Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand Inventory of Chemicals

All ingredients are listed.

HSNO Approval numbers

34590-94-8	Dipropylene glycol monomethyl ether	HSR001402
60207-90-1	propiconazole	HSR003109

Directive 2012/18/EU

Named dangerous

substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H227 Combustible liquid.
 H302 Harmful if swallowed.
 H304 May be fatal if swallowed and enters airways.
 H313 May be harmful in contact with skin.
 H317 May cause an allergic skin reaction.
 H333 May be harmful if inhaled.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent

(Contd. on page 11)

Safety Data Sheet
in accordance with HSNO

Printing date 15.10.2019

Version number 2.2

Revision: 15.10.2019

Trade name: UV-Protection-Oil Tints

(Contd. of page 10)

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 4: Flammable liquids – Category 4
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 5: Acute toxicity – Category 5
Skin Sens. 1: Skin sensitisation – Category 1
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the
previous version altered.**

—NZ—