Safety data sheet
according to UK REACH

Printing date 23.07.2025 Version number 5.1 Revision: 06.06.2025

*

1 Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name: **2K Wood Oil**

Article number: 6100 Clear; 6111 White; 6112 Silver Grey; 6114 Graphite; 6118 Light Grey; 6116 Cherry; 6119 Natural; 6141 Havanna; 6138 Garnet; 6143 Cognac; 6164 Tobacco; 6190 Black

Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Application of the substance / the mixture Paint
Coating compound/ Surface coating/ paint

Uses advised against Do not use without the associated hardener.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG
Affhüppen Esch 12
D-48231 Warendorf
Germany

Further information obtainable from: Product safety department
Tel.: +49 (0) 251 / 692 - 188
Fax: +49 (0) 251 / 692 - 462
e-mail: helmut.starp@osmo.de

Emergency telephone number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in German and English
IE: National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)
Healthcare Professionals: +353 (1) 809 2566 (24 hour service)
Members of the public seeking specific information on poisons should contact:
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111

Importer Importer for UK:
OSMO UK,
Smeaton Close
Unit 24 Anglo Business Park
Aylesbury, Bucks HP19 8UP
Phone: 01296 481 220, www.osmouk.com
United Kingdom

2 Hazards identification

Classification of the substance or mixture The product is not classified, according to the Globally Harmonised System (GHS).

(Contd. on page 2)

Safety data sheet
according to UK REACH

Printing date 23.07.2025 Version number 5.1 Revision: 06.06.2025

Trade name: 2K Wood Oil

(Contd. of page 1)

Additional information: For the wording of the listed hazard phrases refer to section 16.

Label elements

Hazard pictograms Void

Signal word Void

Hazard statements Void

Precautionary statements P102 Keep out of reach of children.
P262 Do not get in eyes, on skin, or on clothing.
P271 Use only outdoors or in a well-ventilated area.

Additional information: EUH210 Safety data sheet available on request.

Other hazards Warning: Materials impregnated with liquid product, such as cloths, may self-ignite. After use, let the materials to dry completely either spread out flat or in a closed metal container and then dispose of them properly.
Always wear a dust mask when sanding.
Observe the general safety regulations when handling chemicals.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

*

3 Composition/information on ingredients

Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 68649-95-6 EINECS: 272-038-8 Reg.nr.: 01-2119484875-20	Linseed oil, oxidized	25-50%
CAS: 8001-26-1 EINECS: 232-278-6	Linseed oil	25–50%

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

Description of first aid measures

General information: No special measures required.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately rinse with water.
Immediately wash with water and soap and rinse thoroughly.
If skin irritation or rash occurs: Get medical advice/attention.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

Safety data sheet
according to UK REACH

Printing date 23.07.2025 Version number 5.1 Revision: 06.06.2025

Trade name: 2K Wood Oil

(Contd. of page 2)

Information for doctor:
Most important symptoms and effects, both acute and delayed No further relevant information available.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

Extinguishing media
Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
For safety reasons unsuitable extinguishing agents: Water with full jet
Special hazards arising from the substance or mixture No further relevant information available.
Advice for firefighters
Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective clothing.
Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Dispose of the material collected according to regulations.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Reference to other sections See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling:
Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.

(Contd. on page 4)

Safety data sheet
according to UK REACH

Printing date 23.07.2025 Version number 5.1 Revision: 06.06.2025

Trade name: 2K Wood Oil

(Contd. of page 3)

Prevent formation of aerosols.

General protective and hygienic measures: Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Do not eat, drink, smoke or sniff while working.
Do not carry product impregnated cleaning cloths in trouser pockets.

Information about fire - and explosion protection: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
Avoid contact with the eyes and skin.
Immediately remove all soiled and contaminated clothing
Do not inhale gases / fumes / aerosols.
The usual precautionary measures are to be adhered to when handling chemicals.
Do not eat, drink, smoke or sniff while working.
See Section 7 for information on safe handling.

Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed.
Not necessary if room is well-ventilated.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

Safety data sheet
according to UK REACH

Printing date 23.07.2025 Version number 5.1 Revision: 06.06.2025

Trade name: 2K Wood Oil

(Contd. of page 4)

Use a properly fitted, air-purifying or air-fed repirator complying with an approved standard if a risk assessment indicates this is necessary.

Protection of hands: To avoid skin problems reduce the wearing of gloves to the required minimum.
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing

*

9 Physical and chemical properties

Information on basic physical and chemical properties	
General Information	
Appearance:	
Form:	Fluid
Colour:	According to product specification
Odour:	Mild
Odour threshold:	Not determined.
pH-value:	Mixture is non-polar/aprotic.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	>300 °C
Flash point:	> 100 °C (DIN EN ISO 2719)
Flammability	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.

(Contd. on page 6)

Safety data sheet
according to UK REACH

Printing date 23.07.2025 Version number 5.1 Revision: 06.06.2025

Trade name: 2K Wood Oil

(Contd. of page 5)

Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 100 °C:	≤1 hPa
Density at 20 °C:	0.94-1.20 g/cm³ (DIN 51757)
Relative density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Solvent content:	
VOC (EC)	<50 g/l
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.
Chemical stability
Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known.
Conditions to avoid No further relevant information available.
Incompatible materials: No further relevant information available.
Hazardous decomposition products: No hazardous decomposition products when stored and handled correctly.

11 Toxicological information

Information on toxicological effects
Acute toxicity

LD/LC50 values relevant for classification:		
68649-95-6 Linseed oil, oxidized		
Oral	LD50	>4,790 mg/kg (rat)

(Contd. on page 7)

Safety data sheet
according to UK REACH

Printing date 23.07.2025 Version number 5.1 Revision: 06.06.2025

Trade name: 2K Wood Oil

(Contd. of page 6)

Dermal	LD50	>2,000 mg/kg (rat)
8001-26-1 Linseed oil		
Oral	LD50	>4,763 mg/kg (rat)

Primary irritant effect:
Skin corrosion/irritation No irritant effect.
Based on available data, the classification criteria are not met.
Serious eye damage/irritation No irritating effect.
Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation No sensitising effects known.
Subacute to chronic toxicity: Based on available data, the classification criteria are not met.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Behaviour in environmental systems:
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Danger to drinking water if even small quantities leak into the ground.
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.

Uncleaned packaging:
Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

Safety data sheet
according to UK REACH

Printing date 23.07.2025 Version number 5.1 Revision: 06.06.2025

Trade name: 2K Wood Oil

(Contd. of page 7)

14 Transport information

UN-Number **ADR, IMDG, IATA**	Not applicable
UN proper shipping name **ADR, IMDG, IATA**	Not applicable
Transport hazard class(es) **ADR, ADN, IMDG, IATA** **Class**	Not applicable
Packing group **ADR, IMDG, IATA**	Not applicable
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
UN "Model Regulation":	Not applicable

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Poisons Act

Regulated explosives precursors
None of the ingredients is listed.

Regulated poisons
None of the ingredients is listed.

Reportable explosives precursors
None of the ingredients is listed.

Reportable poisons
None of the ingredients is listed.

GHS label elements Void
Hazard pictograms Void
Signal word Void
Hazard statements Void
Precautionary statements P102 Keep out of reach of children.
P262 Do not get in eyes, on skin, or on clothing.
P271 Use only outdoors or in a well-ventilated area.

(Contd. on page 9)

Safety data sheet
according to UK REACH

Printing date 23.07.2025 Version number 5.1 Revision: 06.06.2025

Trade name: 2K Wood Oil

(Contd. of page 8)

Directive 2012/18/EU
Named dangerous substances - ANNEX I None of the ingredients is listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: product safety department
Contact: Hr. Dr. Starp
Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route
(European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Sources ESIS : European chemical Substances Information System
ECHA Portal
Safety data sheets from raw material suppliers
**** Data compared to the previous version altered.*** Additions, Deletions, Revisions
Updated according to regulation (EU) 2020/878 amending regulation (EC) No: 1907/2006 (UK REACH)