

osmo® 



Finish & renovate wooden flooring

Practice. Knowledge.

Practical tips for the best results

At the beginning of a project you have to consider many things. Only one thing you do not have to consider is whether you achieve best results for every application with Osmo.



The product range for every application

We stay in constant contact with users of our products. These varied experiences flow into a range that offers the best solutions for every challenge.

Healthy living



More and more customers demand coating systems for healthy living. Our products are based on renewable raw materials. With us, you are always on the safe side.


Floor traffic & surface grip



All products are developed to withstand long-lasting wear and tear - which is why all products are perfect for public interiors.

3

Drying time



In our research & development department, we continuously work on reducing drying times. Today, we offer solutions that allow the second coat to be applied after just 2 to 3 hours.

Visual design



Whether bold colours or clear, raw wood look or glossy surface - our products enable maximum design possibilities. This way you can ensure that every floor harmonises with the overall design of the room.

Making a hit with healthy living and sustainability

With Osmo Polyx[®]-Oil, our classic coating, we have set benchmarks in healthy living and sustainability. Today, we continue to expand our range in view of:

4



DIBt technical approval



Oil-based coatings



Sustainable raw materials



High solids content between 50 and 100 %




Suitable for children's toys



Food safe



High coverage





Coating systems for life

We use only natural oils and waxes for our Polyx®-Oil and many other products. The oil penetrates the wood protecting it from the inside. The wax provides breathable and wear-resistant surface protection.

Hotel Beverland, Germany

The Kaseinwerk – an exclusive event location – has high quality wooden flooring. For this floor, a coloration is required that blends harmoniously

into the ambient. The ideal application for Oil Stain from Osmo, completed with a finishing coat with Osmo Polyx®-Oil Original.

This is how you set the right tone. Always!

Benefit from our variety of colours for more design freedom and individuality.







Effective protection, optimally suited to the flooring

With us, you combine colour variety with a surface protection among the best the market has to offer.

8



Clear in 4 sheens, 9 colours



12 colours

Polyx®-Oil Original

The specialist for extreme wear

- > The Osmo classic
- > Effective protection against extreme wear; therefore also suitable for commercial interiors
- > Spot-repairable
- > Four various sheen options can be produced: glossy, satin, semi-matt and matt



*Not available in all countries

2K Wood Oil

A finished surface with one coat

- > 2-component oil based on natural oils
- > Solvent-free
- > Can be used on nearly all wood species (also wood species rich in extractives)
- > High product coverage
- > Limitless creativity because the colours can be mixed with each other.



Further colour mixtures can be found here.





Oil Stain

Endless colour variety with an optional reduced drying time

- > Endless variety by mixing colours with each other or with Polyx®-Oil Original. (See page 20)
- > Colour intensity depends on the tools used
- > For colouring and tinting Polyx®-Oils
- > Tip: with a hardener, you reduce the drying time by 50 %. (See page 17)




11 colours



Wood Wax Finish, transparent colours

Coloured base coat for wooden flooring

- > Coloured base coat possible with an additional top coat with Polyx®-Oil Original. (See page 20)
- > Subtler colours by mixing with Polyx®-Oil Original, mixing ratio 1:10
- > After apply the coating, buff in with a pad working with the grain
- > Special colour effects can be produced on textured surfaces with the two-tone technique



15 colours

Space for creative freedom: the bedroom

Effective protection that you cannot see: with our Polyx®-Oil Original in the colour 3041 Natural, you fully bring out the natural look of wooden flooring.

Raw wood look in perfection that more and more customers are going for.

What customers like: trendy flooring

The trendy raw wood look for flooring with natural charm. A one-of-a-kind flooring designed with individual wood grain and texture.





Maximum design freedom and a perfect surface finish

Customer wishes change. We change with them. That is why you can always rely on our product range, even with current trends.

12



Polyx®-Oil Original Natural

Trendy raw wood look for light-coloured flooring

- > Optimal for light-coloured wooden flooring
- > Invisible stain and wear protection
- > The floor retains its natural character; the wood colour and grain are not enhanced.
- > No permanent wet look
- > The second coat is carried out with a clear Polyx®-Oil Original in Matt or Semi-Matt. (See page 20)



*Not available in all countries

Retain the natural wood colour

Wooden flooring with a natural look is on trend. Polyx®-Oil Original Natural retains the natural wood colour nearly invisibly and counteracts the "permanent wet effect". Although you can hardly see the surface treatment, the wood is still reliably protected by oils and waxes.

In addition, it makes the wood surface resistant to water spots. Plus, wine, beer, cola, coffee, tea, fruit juice or milk will not leave behind any unsightly rings.



Trzy Korony Brewery, Poland

The Trzy Korony Brewery (Three Crowns) in Nowy Sacz requires maximum protection with minimal drying time. Therefore for the Oak flooring and

the chairs, Polyx®-Oil Express with a hardener was put to use, which reduced the drying time to 2 hours.

This is how you turn every project into a profit zone

Shorten project times and maximise efficiency with faster drying. With Osmo, you turn on the turbo.





Reduced drying times, consistent product quality

Commercial interiors require reduced drying times. Our products promote customer satisfaction and provide long-lasting protection.

16



Polyx®-Oil Express

Extremely fast drying

- > Polyx®-Oil Express guarantees an extremely fast drying time: after 2-3 hours, the second coat can be carried out.
- > The additional hardener accelerates the drying even more; plus, it is ideal as a base coat for wood species rich in extractives.




Polyx®-Oil Rapid

Finished in one day

- > Polyx®-Oil Rapid enables a finished surface with two coats in one day.





12 colours

2K Wood Oil

A finished surface with one coat

- > 2 component oil based on natural oils
- > Solvent-free
- > Can be used on nearly all wood species (also wood species rich in extractives)
- > High product coverage
- > Limitless creativity because the colours can be mixed with each other.



Further colour mixtures can be found here.



Hardener for Oil Stain

For fast drying

- > For the accelerated drying of Oil Stain (See page 9)
- > Finished surface in one day



Hardener for Polyx®-Oil Express

Accelerated drying of Polyx®-Oil Express

- > For accelerated drying
- > As an additive to Polyx®-Oil Express for the treatment of resinous and oily wood species



Tanz- und Turnierclub München

Physically giving your all is part of everyday life at the Tanz- und Turnierclub München. That is why the Polyx®-Oil Original is used. It provides the Oak

floor lasting protection against extreme stress and ensures the best indoor climate for dancers.

Natural protection - from matt to glossy

Osmo combines the undisturbed appearance of elegant wood with the guarantee for maximum healthy living. Naturally.





Convenient application, transparent performance

For all surfaces that consistently face high wear, our classics are the very first choice.

20



Clear in 4 sheens, 9 colours

Polyx®-Oil Original

The specialist for extreme wear

- > The Osmo classic
- > Effective protection against extreme wear; therefore also suitable for commercial interiors
- > Spot-repairable
- > Four various sheen options can be produced: glossy, satin, semi-matt and matt



*Not available in all countries

Polyx®-Oil: Quality in every fibre

The advantages of the Polyx®-Oil are unsurpassable. The oil penetrates deeply into the wood, protecting it from the inside. The wax provides a durable, breathable surface protection. Floors already treated with Polyx®-Oil can be renewed at any time without having to completely sand away the old surface coating. In addition, you as a processor benefit from the long open times of our classic product.





Wood Wax Finish Clear Extra Thin

Transparent protection for resinous and oily woods

- > Especially formulated for wood species rich in extractive like Meranti, Wengé or Merbau
- > The product penetrates deeply into heavy dense wood, giving it lastly protection.



1 sheen

21



Clear in 2 sheens, 1 colour

Polyx®-Oil Anti-Slip

For higher requirements for slip resistance

- > Ideal for all commercial interiors, in which increased slip resistance is required.
- > Available in two different slip resistance classes (R9 and R11)



Genuine craftsmanship needs maintenance

Our care products are designed precisely for every need.

Osmo has been working with wood for over 140 years. An expertise that we have poured in the development of a pioneering range of care products and accessories.

22



Optimally coordinated: Cleaning products and accessories

Osmo products have been carefully thought through. That is why they allow maximum efficiency at every step:

- > Floors with a surface finish from Osmo are particularly easy to maintain. Your customers are therefore recommended to use our Wash & Care for routine cleaning and care, and Osmo Liquid Wax Cleaner for more intensive cleaning and surface refreshing.
- > If despite all precautions unsightly spots should appear, for example, due to a reaction between iron and tannin acid, our Tannin Spot Remover can counteract this and remove the stains in no time.
- > Since flooring treated with Osmo coating systems can be recoated without sanding, surface renovation is possible in no time at all.
- > For this, as well as for many other jobs, Osmo offers professional tools that integrate with each other perfectly. Thus, the FloorXcenter enables professional cleaning, care, refreshing and maintenance.



In short: Osmo stands for professional work in a system. Your advantages: efficiency, profitability and comfort in application.





osmo
Spritz-
Wachs

OUR PRODUCTS

> CLADDING

Cladding profiles
Coloured cladding
Accessories

> FLOORING

Solid wood flooring
Concept-Flooring
Creativ-Flooring

> COATING SYSTEMS

For the interior and exterior
Wood protection and care

> INTERIOR WOOD

Solid wood profiles
Framing wood
Laths

> EDGE-GLUED PANELS

Solid wood panels
Work surfaces
Furniture doors

> MOULDINGS

Skirting boards
Mouldings for walls and ceilings
Decorative mouldings

> DECKING

Wood
Ceramic
BPC

> SCREENS

Wood
Sound protection
Aluminium/BPC

Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12
D-48231 Warendorf

PO Box 110161
D-48203 Warendorf

Telephone +49 (0)2581/922-100
Telefax +49 (0)2581/922-200

www.osmo.com
info-export@osmo.com

Your local Osmo dealer:

