osmo®

2026



YOUR GUIDE TO PERFECT
FLOOR CARE.



I LOVE WOOD.
IT SMELLS GOOD
AND FEELS GREAT.

GOOD TO KNOW:
FLOOR CARE AT HOME

Wooden flooring feels warm underfoot, is hard-wearing and easy to care. To preserve these exceptional properties of natural wood for a long time, treat wooden flooring preferably with Polyx®-Oil from Osmo. Polyx®-Oil repels dirt and provides wood durable protection. At the same time, it allows the wood to breathe and it feels great. Another advantage: maintenance and care are easy. With very little effort, you can maintain your wooden flooring over generations. If necessary, you can even re-oil it without sanding and also carry out spot repairs.

> **DUSTING**
Dust and lint can be removed quickly and easily with the green Dust-Mop in the Osmo Cleaning Kit for Floors. It is suitable for all types of wooden flooring.

> **MOPPING**
With Osmo Micro-Mop Plush found in the Cleaning Kit for Floors, routine mopping and upkeep is a breeze. Simply dilute Osmo Wash and Care with water and clean the floor with a damp mop. Wash and Care contains moisturisers that preserve the beauty of your floor for a long time.
By all means, avoid using aggressive all-purpose cleaners. Alternatively, for surfaces treated with solvent-free products, you can also use our 3015 Liquid Wax Refresher.

> **INTENSIVE CLEANING AND REFRESHING**
Before your wooden flooring becomes dull, clean it thoroughly with Osmo Liquid Wax Cleaner. That way, your floor retains its beautiful appearance and becomes even more resistant.
For deep floor cleaning, we recommend Osmo Intensive Cleaner.

> **RENOVATION AND REPAIR**
Sometimes even with optimal care, flooring will show signs of wear and tear. No problem: flooring treated with Osmo Polyx®-Oil can be easily repaired and re-oiled, and spot repairs (page 13) are also possible. Then your floors will shine like new again. In some cases, a maintenance coat with Osmo Maintenance Oil is enough. It will give the surface the desired sheen.



WOODEN FLOORS ARE A GOOD INVESTMENT. PLUS THEY LOOK GREAT.

GOOD TO KNOW: FLOOR CARE FOR COMMERCIAL INTERIORS

Well-kept wooden flooring creates atmosphere – plus it can withstand a lot. Oiled flooring repels dirt and is suitable for public buildings and commercial use. However, the cleaning intervals should be adjusted to the higher demands.

> **REGULAR MOPPING**
Clean high traffic areas once daily with a damp mop. Add only Osmo Wash and Care to mop water. Avoid using aggressive all-purpose cleaners. Alternatively, for surfaces treated with solvent-free products, you can also use our Liquid Wax Refresher 3015.

> **INTENSIVE CLEANING AND REFRESHING**
Refresh wooden flooring intensively with Osmo Liquid Wax Cleaner as necessary. Cleaning intervals vary depending on the traffic and wear and can, if needed, be carried out with Osmo Intensive Cleaner.

> **RENOVATION AND REPAIR**
To retain the look and value of your wooden floor over years, worn areas must be recoated with Osmo Polyx®-Oil at the right time. First the floor should be thoroughly cleaned with Osmo Intensive Cleaner. Then apply an extremely thin layer of Osmo Polyx®-Oil (page 10). Alternatively, an application with Osmo Maintenance Oil is possible. Spot repairs, for example on high traffic areas, are also possible.

OUR TIP

When maintaining larger areas, it is a good idea to commission a professional craftsman. A workload reduction is possible with the Osmo FloorXcenter. It is well-suited for cleaning and maintaining oiled floors.



LIFE IS TOO SHORT FOR THE WRONG CARE – TAKE A LOAD OFF.



DUSTING

An oiled wooden floor repels dirt. Unlike many other types of flooring, it does not develop an electrostatic charge and does not offer breeding grounds for microbes and allergens. Dust, lint or animal hair can be removed with a vacuum cleaner or broom. Cleaning is even easier with the Osmo Cleaning Kit for Floors. The green Dust-Mop was specifically developed for dusting.

> Fast, quiet and energy-saving: cleaning with the Dust-Mop
> Osmo Cleaning Kit for Floors contains a basic mop head with connector for the Osmo System Telescopic Handle, a Dust-Mop, a Micro-Mop Plush and an Active Fibre Cloth.



Dust-Mop



Cleaning
Kit for Floors



ROUTINE MOPPING

How often your wooden flooring has to be mopped depends on the demands placed on it. For private households, once a week is normally enough; for restaurants and other high traffic areas, you should mop floors daily.

- For damp mopping with Osmo Cleaning Kit for Floors, use the white Micro-Mop Plush.
- A dash of Osmo Wash and Care in mop water removes everyday dirt and grime exceptionally well. Thanks to its natural oils, it prevents the floor from drying out. Avoid using aggressive all-purpose cleaners.
- For surfaces treated with a solvent-free product: Liquid Wax Refresher 3015
- **NOTE:** Only use a damp – not wet – mop! If required, wipe dry afterwards.



Wash and Care



Cleaning Kit for Floors



Liquid Wax Refresher



INTENSIVE CLEANING AND REFRESHING

From time to time, your wooden flooring needs to be refreshed with Osmo Liquid Wax Cleaner. It regenerates the protective oil and wax layer and your floor retains its special shine. Cleaning intervals vary depending on the amount of use. For high-traffic areas in restaurants and retail shops, a weekly refreshing can be sensible. For private households, generally refreshing is first necessary after some months. For extremely dirty floors, cleaning with Osmo Intensive Cleaner is recommended before refreshing the floor.

> Osmo Liquid Wax Cleaner cleans and regenerates the hard wax layer in one step.
> For white oiled floors: Liquid Wax Cleaner White Transparent
> To refresh flooring, use the Active Fibre Cloth found in the Osmo Cleaning Kit for Floors.
> For larger areas, we recommend the floor cleaning machine FloorXcenter.



Intensive Cleaner



Liquid Wax Cleaner



Cleaning
Kit for Floors



MAINTENANCE AND RE-OILING

Sometimes life leaves marks, even on optimally maintained wooden flooring. No need to fret. The protective surface on oiled wooden flooring can be renewed any time without needing to remove the old coating. This is a huge advantage over lacquered wood surfaces.

> Before the application, clean floors thoroughly with Osmo Intensive Cleaner.

> Manual applications: apply an extremely thin layer of Osmo Polyx®-Oil with an Osmo Floor Brush or Microfibre Roller. Alternatively, an application with Osmo Maintenance Oil is also possible.

> Machine applications: Osmo FloorXcenter for intensive cleaning and applying a clear Osmo Polyx®-Oil. For difficult-to-reach edges and corners, use the Osmo Pad Holder with joint.



Maintenance Oil



Polyx®-Oil
Original



Floor Brush
with handle



Floor Roller Set



TANNIN SPOT REMOVER

Water spots and discolorations on wood? No problem! Untreated wood is quite sensitive. Quickly unattractive water spots and dark discolorations appear on the wood through reactions between tannin acid and various substances, such as iron, acids or bases. These spots are removed quickly and effectively with Tannin Spot Remover – spray, wait and done!

> Highly effective removal of black spots on wood species containing tannin (Oak).
> Osmo Tannin Spot Remover is especially recommended for wooden flooring and furniture made from Oak.
> After the treatment, apply a suitable Maintenance Oil to the dry and treated area, so the wood is protected again.



Tannin Spot Remover










1. Thoroughly sand off the damaged surface.
2. Apply a thin coat of Osmo Polyx®-Oil with a Microfibre Roller.
3. When dry, apply a second coat very thinly with a cotton cloth.



SPOT REPAIRS ON CLEAR COATED WOODEN FLOORING

On oiled floors, spot repairs can be carried out. For example, high-traffic areas can be re-oiled without needing to clear out your restaurant or the entire room. This saves a lot of time. Because Osmo Polyx®-Oils, when correctly applied, will not form a film, even after several touch-ups, no transitions can be seen.

> Sand off the damaged surface thoroughly and remove all dust.
> Evenly apply a thin coat of Polyx®-Oil with an Osmo Microfibre Roller.
> Leave to dry for about 8-10 hours. When dry, apply a further coat of Polyx®-Oil thinly with a lint-free cotton cloth.



SPOT REPAIRS ON COLOUR COATED WOODEN FLOORING

Even stained wooden flooring can be spot-repaired and recoated – if they are treated with Osmo products. Therefore always keep the colour tone or colour mixture in mind for subsequent treatments. To achieve exactly the right colour, precise work steps and a little experience are needed.

> Sand off the damaged surface thoroughly and remove all dust.
> Evenly apply a thin coat of the coloured material used with an Osmo Microfibre Roller and leave to dry for 24 hours.
> Afterwards apply a thin coat of a clear Polyx®-Oil and leave to dry.

TIP

To repair small damages and scratches, use Osmo Polyx®-Oil Repair and Care Paste. Simply apply the paste in a small, handy 75 g tube to any surface treated with Osmo Polyx®-Oil.





THE SPECIALIST TAKES OVER

You can re-oil your wooden flooring by yourself.
But if you do not have the time to do it, do not wait too long to call a specialist. Raw wood should not be left exposed. Thanks to their wealth of experience, a specialist can complete the job quickly and reliably. This is especially the case for spot repairs. Plus if you want to change the sheen or recoat coloured wooden flooring, it is recommended to seek professional support.



ONE KIT FOR ALL EVENTUALITIES

To help you get your bearings in our wide product range for wood care, Osmo has put together the most important care products in one kit – an all-round carefree package!

Osmo Maintenance Kit for Floors not only contains Wash and Care cleaning concentrate but also Liquid Wax Cleaner, which is needed to refresh surfaces routinely. Ask for it at your local dealer.

In addition to that, we have also assembled other kits for optimal application and care. Check them out on our website **www.osmo.com.**

ONLY THE BEST FOR WOOD

Further information about our products can be obtained from your local Osmo dealer or found in our Flooring brochure about the topics optimal protection, cleaning/care and renovation and also online at www.osmo.com.



CLEANING KIT FOR FLOORS

For the maintenance and care of wood, synthetic, tiled and natural stone floors. Contains basic mop head plate with connector for Osmo System Telescopic Handle, Dust-Mop, Micro Mop Plush and Active Fibre Cloth.



WASH AND CARE

Cleaning and care concentrate for routine wet cleaning. Especially developed for wooden flooring treated with an Osmo Polyx®-Oil.



INTENSIVE CLEANER

Highly effective, slightly alkaline, specialised cleaner for removing organic and inorganic deposits on oiled and waxed surfaces as an alternative to sanding.



LIQUID WAX REFRESHER

Especially designed for the occasional refreshing and maintenance of surfaces oiled or waxed with a solvent-free product.



MAINTENANCE OIL

With Maintenance Oil, dull and matt floors are restored. By applying Maintenance Oil at the right time, time-consuming sanding works and repairs can be avoided.



LIQUID WAX CLEANER

Clear or White Transparent. For reviving dull flooring. Cleans and regenerates the surface at the same time and provides the wood with natural hard waxes.



POLYX®-OIL ORIGINAL

Osmo Polyx®-Oil Original is the protection of all wooden floor and furniture surfaces.



POLYX®-OIL ANTI-SLIP

Ideal for all wooden floors in indoor areas that require higher slip resistance.



TANNIN SPOT REMOVER

Specialised cleaner for removing black tannin spots on untreated or oiled wood surfaces in indoor areas.



SYSTEM TELESCOPIC HANDLE

High quality aluminium Telescopic Handle with SoftTouch grip and Quick Connect technology. Adjustable length: 120-200 cm.



POLYX®-OIL CARE AND REPAIR PASTE

Clear, oil-wax combination for repairing small damages in all wood surfaces treated with Polyx®-Oil, such as furniture surfaces, worktops and wooden flooring.



PAD HOLDER WITH JOINT

For the manual application of base coat wood finishes from Osmo and for the intensive cleaning of edges and corners. Includes connector for Osmo System Telescopic Handle.



FLOOR ROLLER SET

For the manual application of the Polyx®-Oil.
Contains a roller tray with ridged area, disposal tray inserts (3 pieces), Microfibre Roller (250 mm wide) and roller frame with connector for Osmo System Telescopic Handle.



FLOOR BRUSH WITH HANDLE

Thanks to the ergonomic handle and connector for Osmo System Telescopic Handle, it is suitable for the manual application of Polyx®-Oil and Wood Wax Finish. Available in the widths 220 and 400 mm.



MAINTENANCE KIT FOR FLOORS

Maintenance Kit for Flooring contains 1 litre Wash and Care, 0.5 litre Liquid Wax Cleaner as well as 3 applicator cloths.



FLOORXCENTER

User-friendly single disc machine for cleaning, refreshing, maintaining and colouring oiled floors. Ideal for large areas and for the machine maintenance of your wooden flooring.

Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12
D-48231 Warendorf

Telephone +49 (0)2581/922-100
Telefax +49 (0)2581/922-200

PO Box 110161
D-48203 Warendorf

www.osmo.com
info-export@osmo.com

Please contact us for further information:

99900550

© 2026 EN 1.0 – Technical modifications and delivery rights reserved. Measurements, prices and illustrations are subject to change. Although we check our catalogue thoroughly, we cannot completely rule out the possibility of printing mistakes. The colour tones shown in the catalogue are non-binding. In the interest of product development and improvement we reserve the right to technically modify products.